



ITEM NO

PROJECT

DATE

The Gemini System 120A conveniently and automatically brews 12 or 24 cups of rich, full-bodied coffee per cycle into a 36-cup insulated Satellite Server. A brew-ready light signals when water temperature is ready for the next brewing cycle. Timer can also be set to brew 24 cups at a time without refilling the brew basket. This full-featured brewer conveniently plugs into a conventional 115V wall outlet.


FEATURES AT A GLANCE

- Brews automatically in 12- or 24-cup increments.
- Automatic timer allows brewing of 24 cups without brew basket reloading.
- Hot water faucet lets you draw steaming hot water for tea, soups or cup meals — even during brewing.
- High-efficiency, double-wall insulation in each Satellite Server maintains coffee temperature for extended periods without warming. Coffee cannot deteriorate, but maintains its rich, full-bodied flavor.
- Locking Satellite lids guard against accidental spills.
- Color coded satellite faucets available for regular or decaffeinated coffee, tea.

OPTIONS

- 2.5" adjustable plastic legs.
- Oversize Stainless Steel Brew Basket *(Recommended when soft water is used, decaffeinated coffee, high altitude locations, or other conditions which may cause standard brew basket to overflow.)*

GEM-120A



SPECIFICATIONS	Brew Cycles	Finished Brew Capacity	Dimensions (HxWxD)	Voltage	Power Requirements	Water Inlet	Shipping Weight (lbs)	Cube (cu. ft.)
GEM-120A	12 or 24 Cup	36 Cups	26.5" x 9" x 16.5"	120VAC/60Hz*	1775W/14.8A	.25" Flare	48 lbs.	3.53 cu. ft.

*Optional Dual Voltage 120/220VAC; Export voltage available - contact factory

GEMINI ACCESSORIES

GEM-3 INSULATED SATELLITE SERVERS

Expand your coffee service by placing extra Satellite Servers in strategic locations away from brewer. Serving stands are available in two heights to provide extra convenience.

Dimensions9"W x 9"D x 11"H with handle



GEM-5 HEATED SATELLITE SERVING STAND

Raises Satellite to 9.75" for decanter service.

Dimensions9"W x 9"D x 9.75"H
Power.....115V/100W



GEM-8 HEATED SATELLITE SERVING STAND


Raises the satellite 5.375" for cup service.

Dimensions9"W x 9"D x 5.375"H
Power115V/100W

STAINLESS STEEL DRIP TRAYS

Perfect for Gemini Systems and stands.

DT-088"W x 5"D x .75"H



WC-3504 Legs

2.5" to 3" adjustable black plastic legs.



WILBUR CURTIS COMPANY, INC.

6913 Acco Street, Montebello, CA 90640-5403
Telephone: 800-421-6150 • 323-837-2300 •
Fax: 323-837-2406
www.wilburcurtis.com



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>